

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-29 (Canceled).

Claim 30 (Previously Presented): A peripheral device comprising:

means for printing a paper sheet;

means for cutting the paper sheet; and

means for receiving instructions,

wherein the means for printing comprises a first print head, supplied by an ink cartridge to print text or drawings on the sheet of paper by ink ejection as a function of the received instructions, and a second print head, supplied by an absorbent ink cartridge capable of in depth penetration into the paper sheet, to eject ink onto locations to be cut out as a function of the received instructions, and

wherein the means for cutting comprises a low power laser emitting a laser beam with a wavelength absorbed by locations marked with the absorbent ink as a function of the received instructions, a power of the laser being sufficient to cut the paper sheet at the inked locations and/or for partial ablation of the paper.

Claim 31 (Previously Presented): A device according to claim 30, wherein the absorbent ink comprises mineral or organic pigments and a solvent.

Claim 32 (Previously Presented): A device according to claim 30, wherein the absorbent ink is configured such that locations inked with the absorbent ink absorb at least 50% of the laser beam at its operating wavelength.

Claim 33 (Previously Presented): A device according to claim 30, wherein the absorbent ink is configured such that locations inked with the absorbent ink absorb 80% or more of the laser beam at its operating wavelength.

Claim 34 (Previously Presented): A device according to claim 32, wherein the absorbent ink maintains its good absorption properties at the laser wavelength up to a temperature equal to at least 200°C and preferably up to 250°C.

Claim 35 (Previously Presented): A device according to claim 30, wherein the absorbent ink comprises a constituent that produces exothermal combustion when it reaches a critical temperature, the critical temperature being between 150°C and 400°C.

Claim 36 (Previously Presented): A device according to claim 30, wherein the absorbent ink is colorless in a visible range.

Claim 37 (Previously Presented): A device according to claim 30, wherein the absorbent ink is white in a visible range.

Claim 38 (Previously Presented): A device according to claim 30, wherein the second print head ejects ink to print patterns in a form of lines, dashes, or dots not more than 500 μm wide.

Claim 39 (Previously Presented): A device according to claim 30, wherein the second print head ejects a quantity of ink equal to between 0.5 and 5 nl per mm of cut line.

Claim 40 (Previously Presented): A device according to claim 30, wherein the laser emits a laser beam with a wavelength of between 650 and 1600 nm.

Claim 41 (Previously Presented): A device according to claim 30, wherein the laser has an average light power between 0.5 and 10 watts.

Claim 42 (Previously Presented): A device according to claim 41, wherein the laser has an average light power between 1 and 4 watts.

Claim 43 (Previously Presented): A device according to claim 41, wherein the laser operates in a pulsed mode, and laser average power is at least 100 times lower than laser peak powers.

Claim 44 (Previously Presented): A device according to claim 41, wherein the laser operates in a pulsed mode, and laser average power is at least 10 times lower than laser peak powers.

Claim 45 (Previously Presented): A device according to claim 30, wherein the laser comprises one or plural semi-conducting laser diodes.

Claim 46 (Previously Presented): A device according to claim 30, wherein the laser comprises a laser beam focusing device.

Claim 47 (Previously Presented): A device according to claim 46, wherein the laser beam focusing device outputs a light spot with dimensions between 10 μm and 400 μm , on a field depth equal to at least 80 μm .

Claim 48 (Previously Presented): A device according to claim 30, wherein the means for printing and the means for cutting are located on a same lateral displacement carriage.

Claim 49 (Previously Presented): A device according to claim 30, wherein at least one face of the paper sheet close to an area illuminated by the laser is in contact with a material with a thermal diffusivity equal to at least 10 times more than a thermal diffusivity of the paper.

Claim 50 (Previously Presented): A device according to claim 49, wherein the material in contact with the paper sheet close to the area illuminated by the laser is in a form of a laser cutting head that comprises:

- a contact area in contact with the sheet and having a surface of at least 0.5 cm^2 ;

- a perforated part in the contact area enabling passage of the laser beam, and with a section equal to or greater than 1 mm^2 at a location at which the perforated part comes into contact with the paper; and

- a pure air inlet and a combustion fumes evacuation duct.

Claim 51 (Previously Presented): A procedure for aligning an ink cartridge with a laser beam of the device according to claim 30, comprising:

- making a first series of parallel marks on a paper sheet using the ink cartridge of the first print head, the marks being separated by a predetermined pitch;

making a second series of parallel marks facing the first series of marks, using the ink cartridge of the second print head, an inking width of the marks in the second series being sufficient to compensate for misalignment between the absorbent ink cartridge and the laser, and being spaced by a second determined pitch different from the first pitch;

laser cutting on the series of marks inked with the absorbent ink, using the laser;

observing the cuts and sending information to the printer or a computer controlling the printer to identify which marks printed with ink coincide with the cuts.

Claim 52 (Previously Presented): A procedure for aligning an absorbent ink cartridge with the laser beam of the device according to claim 30, comprising:

making a first area of parallel marks on a paper sheet using the absorbent ink cartridge of the second print head, each mark being separated by a first predetermined pitch and having a width not exceeding a width of the laser spot;

making, by the laser beam, lines of spots in the marked first area, the lines of spots being parallel to the previous marks and being separated by a determined pitch different from the first pitch;

observing the marks and sending information to the printer or a computer controlling the printer to identify which marks have been cut.

Claim 53 (Previously Presented): A procedure for adjusting a cutting speed of the device according to claim 30, comprising:

making marks on a sheet using the ink cartridge of the second print head;

passing the laser spot over the marks at different speeds;

observing conditions under which a complete cut can be obtained.

Claim 54 (Previously Presented): A computer system comprising:

a computer and software; and

a peripheral device according to claim 30,

the computer and the software being used to define patterns to be cut out coherent with the patterns to be printed that are to be made on a paper sheet, and providing instructions to the peripheral device so that the peripheral device can make the printouts and cuts.

Claim 55 (Previously Presented): A system according to claim 54, wherein the computer and the software supply instructions to the peripheral device so that the peripheral device can make interruptions in the paper cut following the target cutting pattern.

Claim 56 (Previously Presented): A system according to claim 55, determining cut paper areas to be eliminated, using an appropriate marking done with the first print head, leaving an operator free to manually detach the cut paper areas later.

Claim 57 (Previously Presented): A method for creating documents or paper objects, using the computer system according to claim 54.

Claim 58 (Previously Presented): A method for making a glued structure, comprising:

making a document from a sheet of paper using the computer system according to claim 54, the document comprising at least one part on which glue is to be applied marked by a gluing pattern;

feeding a multi-layer comprising, in order, a silicone coated support, an adhesive film, and a printable surface film, into the peripheral device, the adhesive film bonding to the film

better than to the support, and bonding to the document made in the making a document being better than to the film, the film and the adhesive film being absorbent at an operating wavelength of the laser;

making a gluing pattern corresponding to the gluing pattern made on the document on the multi-layer by printing the surface film using the first print head of the peripheral device;

making a cut on the multi-layer using the laser, to delimit an area surrounding the gluing pattern in the surface film and the adhesive film, with dimensions corresponding to a part of the document on which glue is to be applied;

separating the area from the silicone coated support;

positioning the adhesive film side of the area on the document making the gluing patterns of the document and the surface film correspond;

removing the surface film from the area; and

sticking a part of the document on which the adhesive film is located, or another document.

Claim 59 (Currently Amended): A computer readable medium containing program instructions for execution on a computer system, which when executed by the computer system, cause the computer system to perform steps comprising:

determining a printing pattern for application on printable sheets, wherein said printing pattern corresponds to a multi-page document; [[and]]

determining a target cutting pattern for at least one of said printable sheets, said target cutting pattern identifying areas on said at least one printable sheet; and

determining portions of said at least one printable sheet to be weakened, without being cut through, after a cutting operation to be performed on said at least one printable sheet according to said target cutting pattern.

Claim 60 (Canceled).

Claim 61 (Currently Amended): A computer readable medium ~~according to claim 59,~~
~~wherein said program instructions cause the computer system to perform steps further~~
~~comprising: containing program instructions for execution on a computer system, which~~
~~when executed by the computer system, cause the computer system to perform steps~~
~~comprising:~~

determining a printing pattern for application on printable sheets, wherein said
printing pattern corresponds to a multi-page document;

determining a target cutting pattern for at least one of said printable sheets, said target
cutting pattern identifying areas on said at least one printable sheet; and

determining locations of interruptions in said target cutting pattern so as to maintain
said at least one printable sheet in a single piece even after a cutting operation to be
performed on said printable sheet according to said target cutting pattern.

Claim 62 (Previously Presented): A computer readable medium according to claim
59, wherein said program instructions cause the computer system to perform steps further
comprising:

determining said target cutting pattern as a function of mechanical characteristics of
said printable sheets.

Claim 63 (Previously Presented): A computer readable medium according to claim
59, wherein said program instructions cause the computer system to perform steps further
comprising:

determining said target cutting pattern as a function of ergonomics.

Claim 64 (Previously Presented): A computer readable medium according to claim 59, wherein said program instructions cause the computer system to perform steps further comprising:

determining said printing pattern as a function of said target cutting pattern.

Claim 65 (Previously Presented): A computer readable medium according to claim 64, wherein said printing pattern identifies areas of said at least one printable sheet to be eliminated after a cutting operation to be performed according to said target cutting pattern.

Claim 66 (Previously Presented): A computer readable medium according to claim 59, wherein said program instructions cause the computer system to perform steps further comprising:

retrieving information from a network; and

determining said printing pattern and said target cutting pattern based on said information.

Claim 67 (Previously Presented): A computer readable medium according to claim 66, wherein said network is the Internet.

Claim 68 (Previously Presented): A computer readable medium according to claim 59, wherein said printing pattern comprises a three-dimensional object.

Claim 69 (Previously Presented): A computer readable medium according to claim 59, wherein said target cutting pattern defines windows for said printable sheets.

Claim 70 (Previously Presented): A computer readable medium according to claim 59, wherein said target cutting pattern defines at least one tab for said at least one printable sheet.

Claim 71 (Previously Presented): A computer readable medium according to claim 59, wherein said target cutting pattern defines perforation holes for said printable sheets.

Claim 72 (Previously Presented): A computer readable medium according to claim 59, wherein said target cutting pattern defines a folding pattern for said at least one printable sheet.

Claim 73 (Previously Presented): A computer readable medium according to claim 59, wherein said target cutting pattern defines tabs, each tab identifying a portion of said multi-page document.

Claim 74 (Previously Presented): A computer readable medium according to claim 59, wherein said target cutting pattern defines a window for a page of said document.

Claim 75 (Previously Presented): A computer readable medium according to claim 74, wherein said step of determining said target cutting pattern comprises positioning said window relative to a portion of said document.

Claim 76 (Previously Presented): A computer readable medium according to claim 75, wherein said step of determining said target cutting pattern is performed so as to show said portion through said window after a printing operation to be performed according to said printing pattern and after a cutting operation to be performed according to said target cutting pattern.

Claim 77 (Previously Presented): A computer readable medium according to claim 59, wherein said document is a financial document.

Claim 78 (Previously Presented): A computer readable medium according to claim 77, wherein said financial document is an invoice.

Claim 79 (Previously Presented): A computer readable medium according to claim 59, wherein said printing pattern represents an advertising.

Claim 80 (Previously Presented): A computer readable medium according to claim 59, wherein said printing pattern represents a game.

Claims 81 and 82 (Canceled).

Claim 83 (Currently Amended): A computer readable medium ~~according to claim 82,~~
~~wherein said program instructions cause the computer system to perform steps further~~
~~comprising: containing program instructions for execution on a computer system, which~~
~~when executed by the computer system, cause the computer system to perform steps~~
comprising:

determining a printing pattern for application on printable sheets, wherein said printing pattern corresponds to a multi-page document;

determining a target cutting pattern for at least one of said printable sheets, said target cutting pattern identifying areas on said at least one printable sheet;

instructing a peripheral device, connected to said computer system, to apply a first ink on said printable sheets according to said printing pattern;

instructing said peripheral device to apply a second ink on said areas of said at least one printable sheet according to said target cutting pattern; and

instructing said peripheral device to direct a light onto said areas of said printable sheet where said second ink is applied.

Claim 84 (Previously Presented): A computer readable medium according to claim 83, wherein said first ink is visible.

Claim 85 (Previously Presented): A computer readable medium according to claim 84, wherein said second ink is capable of absorbing light within a range of wavelength.

Claim 86 (Previously Presented): A computer readable medium according to claim 85, wherein said light is within said range of wavelength.

Claim 87 (New): A computer readable medium according to claim 59, further comprising:

instructing a peripheral device to perform the cutting operation without cutting through the portions of the at least one printable sheet to be weakened.

Claim 88 (New): A computer readable medium according to claim 61, further comprising:

instructing a peripheral device to perform the cutting operation without cutting through the portions of the at least one printable sheet to be weakened.

Claim 89 (New): A computer readable medium according to claim 65, further comprising:

instructing a peripheral device to perform the cutting operation without cutting through the portions of the at least one printable sheet to be weakened.

Claim 90 (New): A computer readable medium according to claim 76, further comprising:

instructing a peripheral device to perform the cutting operation without cutting through the portions of the at least one printable sheet to be weakened.